



COPY OF PAPERS  
ORIGINALLY FILED

Utility Patent  
Ser. No. 09/785,382

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Magaly Correa et al.

Date: August 6, 2002

Serial N°: 09/785,382

Group Art Unit: 3749

Filed: 02/16/2001

Examiner: O'Malley, K.S.

For: Blow Dryer with Styling Attachment

Certificate of Mailing

Certificate of Transmission

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231 on 8-15-02 (date).

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703)-872-9302 on 8-15-02 (date).

Typed or printed name of person signing this certificate

Printed name of person signing this certificate

Signature

Signature

Honorable Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Sir:

Request for Correction to the Drawings Under 37 CFR § 1.123

The following changes to the enclosed figures from the above-identified patent application, as highlighted in red and described below, are hereby respectfully requested. In accordance with 35 U.S.C. § 132 and 37 C.F.R. § 1.118, care has been exercised to avoid introduction of anything

which could be construed to be new matter.


In Figure 1:

As requested and shown, please add reference numerals "54" and "55" as indicated, in which "54" is directed to an "integral spray element" having a plurality of vent apertures "55" which provide an access for sprayed water to exit a water storage compartment in the upper portion of the blow dryer with attachment apparatus.

In Figure 4:

As requested and shown, please add reference numeral "47" as indicated, in which "47" is directed to a cord passage conduit in the wall mounting bracket "40".

Respectfully submitted

  
John D. Gugliotta, P.E., Esq.  
Registration No. 36,538

The Law Offices of John D. Gugliotta  
202 Delaware Building  
137 South Main Street  
Akron, OH 44308  
(330) 253-5678  
Facsimile (330) 253-6658

• AUG 21 2002 •  
PATENT & TRADEMARK OFFICE

COPY OF PAPERS  
ORIGINALLY FILED

APPLICANTS FIRST PROPOSED DRAWING AMENDMENT  
TO FIGURE 1 09/785,382




Figure 1



COPY OF PATENT  
ORIGINALLY FILED

APPLICANTS SECOND PROPOSED DRAWING AMENDMENT TO  
FIG. 4 09/785,382




Figure 4